



	Module Setup 211 - F	erintosh 4-15-43-21-W4M	
Detechtion Number	211	Asset Name	Ferintosh 4-15-43-21-W4M
Client Asset #	211	Asset Location	04-15-43-21-W4M
Asset Type	Screw	Recipient Location	
Latitude	52.699612	Elevation - fasl	2568.9
Longitude	-112.976228	Time Zone	America/Edmonton
Area	CBM North	Field	Ferintosh
Foreman	Scott Gamble		
Operator		Province/State	Alberta
Packager Name	Air and Gas Compression	Package Serial #	2124
Package Manufacturer Date			
Noise Suppression Installed		Asset Sound Level (dB)	0
Noise Suppression Description			
Cost Center Code	3200398		
Asset Properties			
Gas Working Interest %	100	Gas Pricing - \$/mscf	3
Skid Type	Housed	Electricity Pricing - \$/kWh	0.1
Field Limitation	No	Sour Service	No
Ownership Status	Owned	Asset Application	Gathering
Disable HP Savings CFR Due To Bypass	No	Vibration Planes	1
Emissions			
EUB License #		Environmental Registration #	
Regulated Facility Name		Regulated Facility Type	
Facility ID (From Environment Canada)		Facility - Date of Change	
Facility Licensed NOx Emissions		Facility Licensed CO Emissions	
Facility Licenced HP			
NPRI		Provincial Identifier Type	
Provincial Identifier		Other Provincial Identifier Type	
Additional Responsible Person Name		Additional Responsible Person ID	
Additional Responsible Person Role			
Setup Date	5/6/2014	Setup Fee	Setup Fee # 1
		Enalysis Fee	Enalysis Fee # 1
Active Status	Surplus	Using Maintenance	Yes
Surplus Condition	Unknown		
Sai pias condition		Haira CCADA	Vac
	No	Using SCADA	Yes

Gas Analysis 211 - Ferintosh 4-15-43-21-W4				
Stream Name	Generic Inlet Gas	Generic Fuel		
Stream Type	Inlet Stream	Fuel Gas		
Sample Date	05/14/2014	05/14/2014		
Hydrogen	0.0000	0.0000		
Helium	0.0002	0.0002		
Nitrogen	0.0139	0.0139		
Carbon Dioxide	0.0036	0.0036		
Hydrogen Sulfide	0.0000	0.0000		
Methane	0.9679	0.9679		
Ethane	0.0098	0.0098		
Propane	0.0021	0.0021		
ISO Butane	0.0010	0.0010		
Normal Butane	0.0005	0.0005		
ISO Pentane	0.0002	0.0002		
Normal Pentane	0.0001	0.0001		
Hexane	0.0001	0.0001		
Heptane	0.0006	0.0006		
Octane	0.0000	0.0000		
Oxygen	0.0000	0.0000		
Ammonia	0.0000	0.0000		
Water	0.0000	0.0000		
Pseudo Critical Temperature Adjustment	0.74	0.74		
Specific Gravity	0.575	0.575		
Dehydrated Gas	Yes	Yes		
Temperature Base - ^o F	60	60		
Pressure Base - psia	14.696	14.696		

Driver Setup	211 - Ferint	tosh 4-15-43-21-W4M	
Manufacturer	Cummins	Model	G8.3C
Serial Number	46448755	Asset Tracking Number	
Driver Type	NA	Engine Manufacturer Date	
Engine Configuration	Inline	Number of Cylinders	6
Compression Ratio	10.5		
Rated rpm	1800	Min rpm	1000
Max Horsepower @Sea Level	99	Max Derated Horsepower	94
Min Horsepower @Sea Level	50	Min Derated Horsepower	47.5
Fuel Requirements - Btu/HPhr	8258	Inlet Stream LHV - Btu/cft	910.05
Engine Timing - BTDC °	26	Air / Fuel Ratio	16.62
Max Boost - psig	0	Max Engine Exhaust Temp - ^o F	1063
Exhaust Flow - cfm	424	Exhaust O2 %	0.55
Max Engine NOx - g/bhp-hr	14	Max Engine CO - g/bhp-hr	8.8
Max Engine CO2 - g/bhp-hr	476	Overall Exhaust dB @ 1.5m	0
Water Pump - HP	1.98	Other Auxiliary Draw - HP	0
Max Top End Overhaul Hours	40000	Max BTTM End Overhaul Hours	80000
Max Oil Change Hours	3000	Ambient Operating Temp - ⁰ F	60
Gear Ratio	1	Compressor rpm @ Rated Driver rpm	1800
Intake Valve Recession Limit	0	Exhaust Valve Recession Limit	0
Valves per Cylinder	2	Stroke Type	
Burn Type		Burn Type Date Modified	
Engine Muffler Make		Engine Muffler Model	
Engine Muffler Serial Number		Engine Coolant Type	
Catalytic Converter Installed	No		
Catalytic Converter Make		Catalytic Converter Model	
Catalytic Converter Serial Number		Element Installed	
Year Organization Became Responsible Person		Company Role	
If Owner, owned before 2016-06-17?		Date of ownership if on or after June 17, 2016	
Internal ID			
Requesting unique identifier?		Reason for requesting unique identifier	
Unique Alphanumeric Identifier		-	
Records located at facility?		Records Location	
Group Type		Group Date Start	
Emission Control Systems Type		Emission control systems type if other	
Emission control systems before or on March 31, 2020?		Emission control systems date if after March 31, 2020	
Registered Date			

Engine Flags Setup 211 - Ferintosh 4-15-43-21-W4M									
Pressure - psig	High	High	Low	Low	Temperature - ^o F	High	High	Low	Low
Oil Header	90	70	50	30	Oil Header	225	220	180	160
Jacket	35	32	10	7	Jacket	200	190	180	160
Fuel Gas	1	1	0	0	Fuel Gas	90	75	45	30
Intercooler					Intercooler	130	120	110	100
Intake Manifold					Intake Manifold				
				Exhaust Manifold					
					Aux. Water	130	120	110	100
					Cylinder Deviation	75			

	Frame Set	tup 211 - Fer	intosh 4-15-43-21-W4I	VI	
Manufacturer		Tamrotor	Model		E25DG
Frame Type		Helical	Profile		Asymmetric
Serial Number		50602304	Asset Tracking Number		
Manufacturer Date Frame					
Male Rotor Diameter (m)		0.155	Vi Setting Type		Fixed
Male Rotor Length (m)		0.234	Vi Setting Low		
Gap Size (inches)		0.003	Vi Setting Medium		
Max Frame Discharge Temp	erature (^o F)	225	Vi Setting High		
Max Suction Pressure (psig)		76	Vi Setting Fixed		4.4
Max Discharge Pressure (ps	ig)	205	Vi Theory		Vi is Fixed
Max Compressor Speed (rp	m)	5500	Configuration (Male x Female)		4 x 6
Max Compressor Overhaul F	Hours	60000	Balance Piston Diameter (mm)		O
Minimum Slide Valve Positio	n -%	О	Thrust Bearings Load Rating(lbs)		O
Has Oil Pump		No	Oil Viscosity (ISO)		120
Oil Density (LB / FT ³)		52	Oil Specific Heat(Btu / L	B ^O F)	0.48
Oil Type		SAE 10W	Oil Pump HP		
Max Coalescing Filter Differential (psig)		15	Max Oil Injection Temperature (OF)		170
Max Oil Filter Differential (p	sig)	10	Max Oil Discharge Temperature (^o F)		210
Slide Valve Coefficients	Value		Vi Efficiency Factors		
Constant	0		Vi	Efficiency	
SV ¹	1		4.4	1	
SV^2	0				
SV ³	0				
SV ⁴	0				
SV ⁵	0				
sv ⁶	0				

Aerial Cooler Setup 211 - Ferintosh 4-15-43-21-W4M						
Manufacturer	API Airtech	Model	699-0351			
Serial Number	0060156	Horsepower Draw	O			
Coolant Type		Rated RPM	O			
Blade RPM		Blade Diameter				
Electricity Draw						
Design Pressure MAWP - psig	0	Required Temperature Out - ^o F	0			
Estimated Pressure Drop - psig	5	Max Design Temperature - ^o F	О			
# of Passes/Section		Corrosion Allowance - inches				
# of Tubes/Section		Fouling Factor				
# of Rows		Ambient Air Design Temp - ⁰ F				
Tube O.D inches		Tube I.D inches				
Tube Gauge		Length of Tubes - feet				
Tube Material						

	Reporting Compliance	211 - Ferintosh 4-15-43-21-W4M	
Set Expected Interval			No

Linked Modules 211 - Ferintosh 4-15-43-21-W4M

Links to related asset modules.

1.800.780.9798 www.detechtion.com
Copyright 2001-2019 Detechtion Technologies. All rights reserved.