

Module Setup 217 - Ferintosh 06-13-42-21-W4M			
Detection Number	217	Asset Name	Ferintosh 06-13-42-21-W4M
Client Asset #	217	Asset Location	06-13-42-21-W4M
Asset Type	Screw	Recipient Location	
Latitude	52.614419	Elevation - fast	2631.2
Longitude	-112.898787	Time Zone	America/Edmonton
Area	CBM North	Field	Ferintosh
Foreman	Scott Gamble		
Operator		Province/State	Alberta
Packager Name	Startec	Package Serial #	SGC-0503
Package Manufacturer Date			
Noise Suppression Installed		Asset Sound Level (dB)	0
Noise Suppression Description			
Cost Center Code	3200381		
Asset Properties			
Gas Working Interest %	100	Gas Pricing - \$/mscf	3
Skid Type	Housed	Electricity Pricing - \$/kWh	0.1
Field Limitation	No	Sour Service	No
Ownership Status	Owned	Asset Application	Gathering
Disable HP Savings CFR Due To Bypass	No	Vibration Planes	1
Emissions			
EUB License #		Environmental Registration #	
Regulated Facility Name		Regulated Facility Type	
Facility ID (From Environment Canada)		Facility - Date of Change	
Facility Licensed NOx Emissions		Facility Licensed CO Emissions	
Facility Licenced HP			
NPRI		Provincial Identifier Type	
Provincial Identifier		Other Provincial Identifier Type	
Additional Responsible Person Name		Additional Responsible Person ID	
Additional Responsible Person Role			
Setup Date	5/6/2014	Setup Fee	Setup Fee # 1
		Analysis Fee	Analysis Fee # 1
Active Status	Surplus	Using Maintenance	Yes
Surplus Condition	Unknown		
Stand-by	No	Using SCADA	Yes
Remote Asset ID	217		
Reason Unit is not Operating	As per Mark Germsheid Feb 2016-C.C.		

Gas Analysis 217 - Ferintosh 06-13-42-21-W4M

Stream Name	Generic Inlet Gas	Generic Fuel
Stream Type	Inlet Stream	Fuel Gas
Sample Date	05/14/2014	05/14/2014
Hydrogen	0.0000	0.0000
Helium	0.0002	0.0002
Nitrogen	0.0139	0.0139
Carbon Dioxide	0.0036	0.0036
Hydrogen Sulfide	0.0000	0.0000
Methane	0.9679	0.9679
Ethane	0.0098	0.0098
Propane	0.0021	0.0021
ISO Butane	0.0010	0.0010
Normal Butane	0.0005	0.0005
ISO Pentane	0.0002	0.0002
Normal Pentane	0.0001	0.0001
Hexane	0.0001	0.0001
Heptane	0.0006	0.0006
Octane	0.0000	0.0000
Oxygen	0.0000	0.0000
Ammonia	0.0000	0.0000
Water	0.0000	0.0000
Pseudo Critical Temperature Adjustment	0.74	0.74
Specific Gravity	0.575	0.575
Dehydrated Gas	Yes	Yes
Temperature Base - °F	60	60
Pressure Base - psia	14.696	14.696

Driver Setup 217 - Ferintosh 06-13-42-21-W4M

Manufacturer	Caterpillar	Model	G3304NA
Serial Number	4NF01527	Asset Tracking Number	
Driver Type	NA	Engine Manufacturer Date	
Engine Configuration	Inline	Number of Cylinders	4
Compression Ratio	10.5		
Rated rpm	1800	Min rpm	1200
Max Horsepower @Sea Level	95	Max Derated Horsepower	90
Min Horsepower @Sea Level	63	Min Derated Horsepower	60
Fuel Requirements - Btu/HPhr	7693	Inlet Stream LHV - Btu/cft	910.05
Engine Timing - BTDC °	30	Air / Fuel Ratio	9.53
Max Boost - psig	0	Max Engine Exhaust Temp - °F	1013
Exhaust Flow - cfm	438	Exhaust O2 %	2
Max Engine NOx - g/bhp-hr	20.21	Max Engine CO - g/bhp-hr	1.6
Max Engine CO2 - g/bhp-hr	499	Overall Exhaust dB @ 1.5m	115.8
Water Pump - HP	1.9	Other Auxiliary Draw - HP	0
Max Top End Overhaul Hours	25000	Max BTTM End Overhaul Hours	75000
Max Oil Change Hours	1250	Ambient Operating Temp - °F	60
Gear Ratio	1.8	Compressor rpm @ Rated Driver rpm	3240
Intake Valve Recession Limit	0.09	Exhaust Valve Recession Limit	0.09
Valves per Cylinder	1	Stroke Type	
Burn Type		Burn Type Date Modified	
Engine Muffler Make		Engine Muffler Model	
Engine Muffler Serial Number		Engine Coolant Type	
Catalytic Converter Installed	No		
Catalytic Converter Make		Catalytic Converter Model	
Catalytic Converter Serial Number		Element Installed	
Year Organization Became Responsible Person		Company Role	
If Owner, owned before 2016-06-17?		Date of ownership if on or after June 17, 2016	
Internal ID			
Requesting unique identifier?		Reason for requesting unique identifier	
Unique Alphanumeric Identifier			
Records located at facility?		Records Location	
Group Type		Group Date Start	
Emission Control Systems Type		Emission control systems type if other	
Emission control systems before or on March 31, 2020?		Emission control systems date if after March 31, 2020	
Registered Date			

Engine Flags Setup 217 - Ferintosh 06-13-42-21-W4M

Pressure - psig	High	High	Low	Low	Temperature - °F	High	High	Low	Low
Oil Header	95	84	37	30	Oil Header	230	210	170	140
Jacket	8	7	4	3	Jacket	210	205	160	150
Fuel Gas	5	4	2	1.5	Fuel Gas	140	120	70	50
Intercooler					Intercooler				
Intake Manifold	29	28	27.2	14	Intake Manifold	147	110	104	80
					Exhaust Manifold	1292	1081	964	868
					Aux. Water	135	130	117	100
					Cylinder Deviation	75			

Manufacturer	Mycom	Model	160GLR
Frame Type	Helical	Profile	Asymmetric
Serial Number	1642663	Asset Tracking Number	
Manufacturer Date Frame			
Male Rotor Diameter (m)	0.1632	Vi Setting Type	Variable4
Male Rotor Length (m)	0.26928	Vi Setting Low	2.3
Gap Size (inches)	0.003	Vi Setting Medium	2.63
		Vi Setting Medium2	3.65
Max Frame Discharge Temperature (°F)	230	Vi Setting High	5
Max Suction Pressure (psig)	75	Vi Setting Fixed	
Max Discharge Pressure (psig)	313	Vi Theory	Vi Reduces with Slide Valve
Max Compressor Speed (rpm)	4520	Configuration (Male x Female)	4 x 6
Max Compressor Overhaul Hours	60000	Balance Piston Diameter (mm)	0
Minimum Slide Valve Position -%	10	Thrust Bearings Load Rating(lbs)	21581.7

Has Oil Pump	No	Oil Viscosity (ISO)	120
Oil Density (LB / FT ³)	52	Oil Specific Heat(Btu / LB°F)	0.48
Oil Type		Oil Pump HP	
Max Coalescing Filter Differential (psig)	15	Max Oil Injection Temperature (°F)	170
Max Oil Filter Differential (psig)	10	Max Oil Discharge Temperature (°F)	210

Slide Valve Coefficients		Vi Efficiency Factors	
Constant	0	Vi	Efficiency Factors
SV ¹	1	2.3	1
SV ²	0	2.63	1
SV ³	0	3.65	1
SV ⁴	0	5	1
SV ⁵	0		
SV ⁶	0		

Aerial Cooler Setup 217 - Ferintosh 06-13-42-21-W4M

Manufacturer	Airtech	Model	Unknown
Serial Number		Horsepower Draw	0
Coolant Type		Rated RPM	0
Blade RPM		Blade Diameter	
Electricity Draw			
Design Pressure MAWP - psig	645	Required Temperature Out - °F	120
Estimated Pressure Drop - psig	5	Max Design Temperature - °F	350
# of Passes/Section		Corrosion Allowance - inches	
# of Tubes/Section		Fouling Factor	
# of Rows		Ambient Air Design Temp - °F	
Tube O.D. - inches		Tube I.D. - inches	
Tube Gauge		Length of Tubes - feet	
Tube Material			

Reporting Compliance 217 - Ferintosh 06-13-42-21-W4M

Set Expected Interval	No
-----------------------	----

Linked Modules 217 - Ferintosh 06-13-42-21-W4M

Links to related asset modules.

