



05	VOGIE	B-T	9"	40	HATS	E-M	4"
10	VOGIE	T-B	8"	45	VMMH	T-B	6"
15	VEBH	T-B	5.8"	50	VMBH	T-B	5.8"
20	HAINL	E-M	5"	55	VOGIE	B-T	6"
25	VMS5	T-B	2"	60	VOGIE	T-B	2"
30	VLLS	T-B	3"	65	VOGIE	T-B	5.8"
35	HMB5	E-M	6"	70	CORON	5CM	5.8"

INLET SEPARATOR

CUSTOMER: CNRL FACILITY: CLARESHOLM LSD: 15-36-12-27 WYM

P & ID: \_\_\_\_\_ DRAWN BY: SPEED, M. DATE: 21.5.09 DRAWING NO. (11)

**VESSEL INFORMATION:**

Equip. No. N/A Pro.Reg.No (A) 2654494 C.R.N. K-1303.2 Serial No. FH.51.10.1689 Yr. Inst. \_\_\_\_\_  
 Code/Div. VTH DIV 1 Size: \_\_\_\_\_ ID / OD X \_\_\_\_\_ Manufacturer: OPSCO INDUSTRIES. Yr. Blt. 1990  
 C. Stamp U Service: \_\_\_\_\_ PWHT: \_\_\_\_\_ J.E.: \_\_\_\_\_ Radiography: RTI Insulated: 20% OUT DOOR

**HEAD:** Top Mat'l \_\_\_\_\_ Top Nom \_\_\_\_\_ Top C.A. \_\_\_\_\_ SHELL: Material \_\_\_\_\_ Nominal \_\_\_\_\_ C.A. \_\_\_\_\_  
 Btm Mat'l \_\_\_\_\_ Btm Nom. \_\_\_\_\_ Btm C.A. \_\_\_\_\_

**BOOT:** Head Mat'l \_\_\_\_\_ Head Nom \_\_\_\_\_ Head C.A. \_\_\_\_\_ CHANNEL: Top Mat'l \_\_\_\_\_ Top Nom. \_\_\_\_\_ Top C.A. \_\_\_\_\_  
 Shell Mat'l \_\_\_\_\_ Shell Nom. \_\_\_\_\_ Shell C.A. \_\_\_\_\_ Btm Mat'l \_\_\_\_\_ Btm Nom. \_\_\_\_\_ Btm C.A. \_\_\_\_\_

MAWP Shell side: 1000 psig @ Temp. 100F MAWP Tube Side: \_\_\_\_\_ @ Temp. \_\_\_\_\_

**PIPING INFORMATION:**

Circuit No. \_\_\_\_\_ Line No. (s) 52F 2 1000 Psi (PLEASE PUT LINE NUMBERS ON APPLICABLE LINES ON THE DRAWING)  
 Piping Class \_\_\_\_\_ Service: \_\_\_\_\_ Yr. Blt. \_\_\_\_\_  
 MAWP: \_\_\_\_\_ @ Temp. \_\_\_\_\_ Size & Schedule of Piping (PLEASE PUT APPROPRIATE SIZES AND SCHEDULES OF PIPING ON DRAWING)

A2654494 UT Readings  
Readings in Inches

	PNT 1	PNT 2	PNT 3
LOC 5	0.433	0.468	0.450
LOC 10	0.420	0.461	0.440
LOC 15	1.494	1.538	1.512
LOC 20	1.546	1.552	1.549
LOC 25	1.552	1.561	1.555
LOC 30	1.542	1.547	1.545
LOC 35	1.545	1.560	1.553
LOC 40	1.526	1.535	1.529
LOC 45	1.481	1.499	1.487
LOC 50	1.489	1.571	1.519
LOC 55	0.440	0.463	0.451
LOC 60	0.363	0.400	0.377
LOC 65	0.383	0.396	0.388
LOC 70	0.332	0.345	0.342