

### **CNRL**

#### PRESSURE EQUIPMENT DATA REPORT


EQUIPMENT GENERAL INFORMATION												
District:	Med	icine Hat										
Facility:	Encl	nant										
Location /LSD:	14-3	14-32-012-15W4				Operating Province:						
Equipment Name:												
Equipment Status	: Shut	Shut-In				Orientation: Horizontal						
Skid No.:	SKD	SKD154				Unit:			SOUTH			
EQUIPMENT STATIC DATA												
AB Registration No.:	157698	157698			Serial No.:	<b>Serial No.:</b> 1639-01						
Registration No./Other:				Equipment I	Equipment No.:		SKD154					
CRN NO.:	F0466.2	F0466.2			Unique ID N	Unique ID No.:						
lational Board No.:					Oncor ID No	Oncor ID No.: 14738						
Manufacturer: STEEL-FLO				Year Built:			1984					
MAWP:	75.00	(psi)	517.11	(Kpa)	Temperature	e:	350.00	(F)	176.67	(C)		
Diameter.:	96.000	(In)	2438.4	.0( (mm)	Length:		360.00	(ln)	9144.00	(mm)		
Radiography:	RT1		1		Heat Treatm	Heat Treatment:						
Corrosion allowance:	0.125	(ln)	(In) 3.175		MDMT:	MDMT:						
Lining Or Coated:	No	No				Painted:						
Insulated:						Internally Clad:						
Hand Hole:					Support Type:							
Manway: Yes						Manway Size(In):						
Capacity/Volume(m3): Nozzle Rating:												
MATERIALS/COMPONENTS												
Name	Joint Efficiency			Head <sup>1</sup>	Туре	Material Type		ess e (PSI)	Nominal Thickness(In.)			
SHELL					soidal			17500		0.38		
PIPING STATIC DATA												
Primary Flange Rating:					ASME B16.5 -	ASME B16.5 - Table 2-1.1 @ 150F:			(psi)			
Pressure Use For TMin:					Piping Operat	Piping Operating Press:			(psi)			
Stress Value: (psi)			E Value:					Joint:				
			S	ERVICE	CONDITIO	vs						
Sweet	Sour	Sour ✓ Oi			Oil		Gas		Water			
Amine	LPG								Glycol			
COMMENTS												



## Client: CNRL



LSD



NAMEPLATE





OVERALL



OVERALL






PSV



PSV NAMEPLATE





**PSV TAG** 



**OUT OF SERVICE**