

ALBERTA MUNICIPAL AFFAIRS
 ABSA - the pressure equipment safety authority
 200, 4208 - 97 Street
 Edmonton, Alberta T6E 5Z9



A 545945
MANUFACTURER'S DATA REPORT
FOR PRESSURE VESSELS

Partial/Partiel

Upon shipment of a pressure vessel, this form fully and correctly filled in must be mailed to the office of the Chief Inspector in the province of installation in accordance with the regulations under the Act, governing the construction and installation of pressure vessels.

Manufactured By Name & address of Manufacturer	R.J.V. Gas Field Services Ltd. 4901 - 47th Street Vegreville, Alberta T9C 1C3	
Manufactured For Name & Address of Purchaser/Consigne	R.J.V. Gas Field Services Ltd. 4901 - 47th Street Vegreville, Alberta T9C 1C3	
Ultimate Owner Name & Address	STOCK	
Location Of Installation Address	STOCK	

Pressure Vessel	
Type: Vertical 3-Phase Separator	Serial Number: 9888
Provincial Registration No. - C.R.N.: P7217.2	Year Built: 2005
	Drawing No.: V01-381
	Overall Length: 3150 mm
	Diameter: 406 mm O.D.

The chemical and physical properties of all parts meet the requirements of material specifications of the A.S.M.E. code.			
The design, construction and workmanship conform to CSA B51.	ASME 2004 Edition Section VIII	Division: 1	Addenda: N/A
			Code Case No.:

Manufacturers partial data reports properly identified and signed by authorized inspectors have been furnished for the following items of the report, and attached to this report.	
Names of parts:	Identifying Stamp:
Item No.:	Manufacturers Name:

Shell											
Description	Material	Thickness	Corrosion Allowance	Diameter	Overall Length	Number Of Courses	Girth Joints		Longitudinal Joints		P.W.H.T.
							Type	R.T.	Type	R.T.	
Shell	SA-106-B	21.44 mm	1.6 mm	406 mm	2285 mm	1	1	RT-2	SMLS	100%	

Heads										
Description	Material	Minimum Thickness	Corrosion Allowance	Crown Radius	Knuckle Radius	Ellipse Ratio	Conical Apex Angle	Hemisph. Radius	Flat Diameter	Side To Pressure
Top	SA-516-70	20.63mm	1.6 mm			2:1				Concave
Bottom	SA-516-70	20.63mm	1.6 mm			2:1				Concave
Removable bolts used (describe other fastenings):										Size/Dimension:
Material Spec.:										Grade:

Pressure - Temperature		
Pressure Vessel Part:	Constructed for Maximum Allowable Working Pressure:	Test Pressure (Hydro/Pneumatic or combination)
Vessel	10,205 Kpa 38° C	15,307 Kpa -29° C

