



PRV INSPECTION AND TEST REPORT

BRANCH: Fort St John

UVL ID#: 19094F

Work Order: 307591

Customer PO#:

Customer: CANADIAN NATURAL RESOURCES LIMITED
 Facility: NORTH NANCY
 A#: A#465548
 Cust. Ref.:
 Cust. WO#:

LSD: d-75-H/94-A-15
 Vessel SN:
 Valve PO:
 Cust AFE#:

Date: 09/01/2011
 PSV Location: FLASH SEPARATOR
 Cust Id:
 PO LINE#:
 Cost Centre#: 30351000

VALVE DATA

Man.: TAYLOR Model: 82G12651311 Serial: 38020-19 Seat: POP
 Conn. Threaded Inlet: 2" MNPT Orifice: G Outlet: 2" FNPT
 Set Press. 1440 PSI Back Press.: 0 PSI Cold/Diff Set Press: Temp: Cap: 10871 SCFM
 Lift Lever Cap Assembly: Closed Code Symbol: UV CRN#: 0G1316.2C

CUSTOMER INSTRUCTIONS

Instructions: Pretest, Service, and Test Pretest Required? Reset Required?
 Replaces UVL ID#: Replaces Valve Serial#: Replaces Valve Cust ID#
 RESET INFO: New Pressure: New Cold/Diff Set: New Capacity: New Model:

CONDITION AS RECEIVED

Visual Condition: Good Data Plate Condition: OK Date of last service: N/A
 Seal Condition: Top: Intact Bottom: NA Insignia: PPE Fittings Attached: Inlet: Outlet:
 Inlet: Carbon Inlet Plugged: Outlet: Clean Outlet Plugged: Initial Insp. Signoff: Tara Stones

PRETEST 1

Simmer: 1410 PSI Set Press: 1440 PSI Reseat: 1206 PSI Leakage: 40 BPM Test Gauge: FSJ 1+2
 Tested By: Brian Gunson Pretest Comments:

PRETEST 2

Simmer: 1430 PSI Set Press: 1440 PSI Reseat: 1265 PSI Leakage: 0 BPM Test Gauge: FSJ 1+2
 Tested By: Brian Gunson Pretest Comments:

COMPONENTS INSPECTION

ITEM	CLEAN	OILY	RUSTY	CARBON	OTHER	COMMENTS	OK / REPLACED?		
							REPLACED?	REPLACED?	REPAIRS PERFORMED
DISC	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Damaged	REPLACE	<input checked="" type="checkbox"/>	K82G51511210
NOZZLE	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Damaged	REPLACE	<input checked="" type="checkbox"/>	
CAP-LEVER ASSY	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		OK	<input type="checkbox"/>	
COMP SCREW and LOCKNUT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		OK	<input type="checkbox"/>	
SPRING and BUTTONS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		OK	<input type="checkbox"/>	
SPINDLE / STEM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
STEM RETAINER	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
DISC HOLDER	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
GUIDE / UPPER RING	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		OK	<input type="checkbox"/>	
LOWER RING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
RING PIN(S)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
BELLOWS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A		<input type="checkbox"/>	
GASKET / SEALS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Worn	REPLACE	<input checked="" type="checkbox"/>	
CONNECTION ENDS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		OK	<input type="checkbox"/>	
OTHER	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	

DISC: : ACT - N/A NOZZLE: MIN - ACT - SOFT NUMBER: 05-011715

Comments:

Disassembly: BRAD WATSON Inspection: Brian Gunson Reassembly: BRAD WATSON

FINAL TEST

Test Medium: Air Simmer: 1430 PSI Set Pressure: 1440 PSI
 Reseat: 1265 PSI Leakage: 0 BPM B.P. Test: 60 PSI Cold/Diff Set: PSI
 ADJ. RING SETTING (NOTCHES): Upper: N/A Lower: N/A Test Gauge: FSJ 1+2 Set Press Def: POP
 Tested by:

FINAL INSPECTION:

SEAL: Top: Bottom: End Protectors Installed: Painted: Palletized: Ship Container: Flex Gaskets Supplied:
 Final Inspection: Grant Watson Customer Inspection:
 Comments: FLANGE ON INLET & PIPE ON OUTLET