



**PSV DATA**  
 MFG: TAYLOR  
 MODEL: T-8200-1 ME  
 SERIAL: 34264-250  
 SET PRES: 3792 kPa  
 CAPACITY: 2009 scfm  
 SERVICED BY: IPV  
 SERVICE DATE: 07/2007  
 SIZE: 1"x1"  
 CODE STAMP: UV  
 BLOCK VALVE: NO  
 CRN: OG1316.2C  
 LOCATION: BURNER INLET  
 TAG: N/S

Equip. No. \_\_\_\_\_ Prov. Reg. No. **Ⓐ 573054** C.R.N. **P-9403.2** Serial No. **AVHM-104** Yr. Inst. \_\_\_\_\_  
 Code/Div. **ASME B31.3** Size: **36in x 12ft** Manufacturer: **ATI CONTRACTING LTD.** Yr. Blt. **2007**  
 C. Stamp: \_\_\_\_\_ Service: **SOUR** PWHT: **HT** Radiography: **RT-1** Insulated: **80%**

**Design & Materials Data**

**HEAD:**  
 Top Mat'l. **SA 36** Top Nom. **9.5mm** Top C.A. \_\_\_\_\_  
 Btm. Mat'l. \_\_\_\_\_ Btm. Nom. \_\_\_\_\_ Btm. C.A. \_\_\_\_\_  
**CHANNEL:**  
 Material: \_\_\_\_\_ Nominal: \_\_\_\_\_ C.A. \_\_\_\_\_  
**BOOT**  
 Head Mat'l. \_\_\_\_\_ Head Nom. \_\_\_\_\_ Head C.A. \_\_\_\_\_  
 Shell Mat'l. \_\_\_\_\_ Shell Nom. \_\_\_\_\_ Shell C.A. \_\_\_\_\_  
**SHELL**  
 Material: **SA 36** Nominal: **9.5mm** C.A. \_\_\_\_\_  
**MAWP Shell Side: 21546 kPa COIL 1 @ Temp. 93°C**  
**MAWP Tube Side: 11183 kPa COIL 2 @ Temp. 93°C**

CLIENT	CANADIAN NATURAL RESOURCES	
FACILITY	KNOPCIK GAS GATHERING LSD 06-28-71-11 W6M	
ITEM	WELLHEAD/LINE HEATER RISER	
BY: TR/CM	DATE: 2011/03	DWG.# 84



# UTS DATA

**CLIENT:** CANADIAN NATURAL RESOURCES  
**EQUIPMENT:** WELLHEAD/LINE HEATER/RISER  
**CRN#:**  
**PROV REG:**  
**TESTED ON STREAM**

**FACILITY:** KNOPCIK GAS GATHERING  
**SERVICE:** SOUR  
**LOCATION:** 06-28-71-11 W6  
**RTD JOB #:** 10.110056  
**REFER TO DRAWING:** 84

Test Point	THICKNESS DATA				Flag	Crit	C.A.	Nom.	Short Term	Long Term	Ave. mm/py	Flag Date
<b>105</b>												
Description: 2" 90° ELBOW												
2011 3												
Min. Thick.	8.5	7.61	1.1	8.70					0	0		L
Average:	8.8											L
Analysis:												
<b>110</b>												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	10.1	9.71	1.4	11.10					0	0		L
Average:	10.5											L
Analysis:												
<b>120</b>												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	14.3	9.71	1.4	11.10					0	0		L
Average:	14.7											L
Analysis:												
<b>125</b>												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	7.1	6.65	1	7.60					0	0		L
Average:	7.4											L
Analysis:												
<b>127</b>												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	8.1	6.65	1	7.60					0	0		L
Average:	8.4											L
Analysis:												
<b>130</b>												
Description: 3" CIRC												
2011 3												
Min. Thick.	7.5	6.65	1	7.60					0	0		L
Average:	7.8											L
Analysis:												

# UTS DATA

**CLIENT:** CANADIAN NATURAL RESOURCES  
**EQUIPMENT:** WELLHEAD/LINE HEATER/RISER  
**CRN#:**  
**PROV REG:**  
**TESTED ON STREAM**

**FACILITY:** KNOPCIK GAS GATHERING  
**SERVICE:** SOUR  
**LOCATION:** 06-28-71-11 W6  
**RTD JOB #:** 10.110056  
**REFER TO DRAWING:** 84

Test Point	THICKNESS DATA				Flag	Crit	C.A.	Nom.	Short Term	Long Term	Ave. mm/py	Flag Date
135												
Description: 4" TEE												
2011 3												
Min. Thick.	9.5			7.53		1.1	8.60					L
Average:	10								0	0		L
Analysis:												