



PSV DATA
 MFG: TAYLOR
 MODEL: T-8200-1
 SERIAL: 14842-82
 SET PRES: 3447 kPa
 CAPACITY: 1830 scfm
 SERVICED BY: KINGS
 SERVICE DATE: 10/2010
 SIZE: 1"x1"
 CODE STAMP: UV
 BLOCK VALVE: NO
 CRN: OG1316.2C
 LOCATION: BURNER FUEL GAS
 TAG: 1926

COIL 2 N-5297.213

Equip. No. _____ Prov. Reg. No. **Ⓐ 499431** C.R.N. **N-5965.213** Serial No. **03-3993-3** Yr. Inst. _____
 Code/Div. **ASME B31.3** Size: **36in x 16ft** Manufacturer: **OPSCO ENERGY INDUSTRIES** Yr. Blt. **2003**
 C. Stamp: _____ Service: **SOUR** PWHT: **HT** Radiography: **RT-1** Insulated: **75%**

Design & Materials Data

HEAD:
 Top Mat'l. **SA 36** Top Nom. **6.4mm** Top C.A. **1.6mm**
 Btm. Mat'l. _____ Btm. Nom. _____ Btm. C.A. _____
CHANNEL:
 Material: _____ Nominal: _____ C.A. _____
BOOT
 Head Mat'l. _____ Head Nom. _____ Head C.A. _____
 Shell Mat'l. _____ Shell Nom. _____ Shell C.A. _____
SHELL
 Material: **SA 36** Nominal: **6.4mm** C.A. **1.6mm**
 MAWP Shell Side: **21615 kPa COIL 1** @ Temp. **121°C**
 MAWP Tube Side: **11169 kPa COIL 2** @ Temp. **121°C**

CLIENT	CANADIAN NATURAL RESOURCES	
FACILITY	KNOPCIK GAS GATHERING LSD 16-11-72-11 W6M	
ITEM	WELLHEAD/LINE HEATER RISER	
BY: TR/CM	DATE: 2011/03	DWG.# 82

UTS DATA

CLIENT: CANADIAN NATURAL RESOURCES
EQUIPMENT: WELLHEAD/LINE HEATER/RISER
CRN#: N-5965.213
PROV REG: A 499431
TESTED ON STREAM

FACILITY: KNOPCIK GAS GATHERING
SERVICE: SOUR
LOCATION: 16-11-72-11 W6
RTD JOB #: 10.110056
REFER TO DRAWING: 82

Test Point	THICKNESS DATA				Flag	Crit	C.A.	Nom.	Short Term	Long Term	Ave. mm/py	Flag Date
105												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	10.3	9.71	1.4	11.10					0	0		L
Average:	10.6											L
Analysis:												
110												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	10.8	9.71	1.4	11.10					0	0		L
Average:	11.1											L
Analysis:												
115												
Description: 2" 90° ELBOW												
2011 3												
Min. Thick.	8.4	7.61	1.1	8.70					0	0		L
Average:	8.7											L
Analysis:												
120												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	7.6	6.65	1	7.60					0	0		L
Average:	7.9											L
Analysis:												
125												
Description: 3" 90° ELBOW												
2011 3												
Min. Thick.	8.7	6.65	1	7.60					0	0		L
Average:	8.9											L
Analysis:												
130												
Description: 2" 90° ELBOW												
2011 3												
Min. Thick.	5.2	4.81	.7	5.50					0	0		L
Average:	5.5											L
Analysis:												

